220mm

EN ES IT NL DA NO AR JP
FR DE PT EL FI SV RU ID
CS HU LV PL BG SL KO TH
ET LT MT RO SK TR MS ZH

GP CATIII module C2

Ansell

Instructions for use 06/17

For more information, visit: www.ansell.com

Australia
Ansell Limited
Level 3, 678 Victoria Street
Richmond, Vic, 3121
☎ +61 1800 337 041
+61 1800 803 578

North America Region
Ansell Healthcare Products LLC
111 Wood Avenue South, Suite 210
Iselin, NJ 08830 USA
☎ +1 800 800 0444
+1 800 800 0445

Europe, Middle East and Africa (EMEA) Region
Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
☎ +32 2 528 74 00
+32 2 528 74 01

Latin America and Caribbean Region
Ansell Brazil Ltda
Rua das Figueiras 474-4° Andar
Bairro Jrdim
SP 09080-300 Santo André
Brazil
CNPJ: 03.496.778/0001-21
☎ +5511 3356 3100

Asia Pacific Region
Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
63000 Cyberjaya
Selangor, Malaysia
☎ +60 3 8310 6688
+60 3 8318 6699

Russia
ООО Анселл РУС
123610 Россия, Москва,
Краснопресненская наб.12, п.3, оф 1103
☎ +7 (495) 258 13 16

INSTRUCTIONS FOR USE — EN

ANSELL GENERAL PURPOSE GLOVES & SLEEVES GP CAT III MODULE C2 VERSION

A. Use

This Instruction for Use note is to be used in combination with the specific information that is mentioned on or inside each packaging enclosure. These gloves/sleeves are designed to protect the hands and/or arms mainly against mechanical and thermal risks and comply with the applicable harmonised EN or EN ISO Standards as shown by the pictograms being mentioned on the gloves or packaging enclosures. The gloves/sleeves therefore will provide protection against the specific risks as shown by these pictograms which are defined by these harmonised standards. The gloves/sleeves are in conformity with the European Directive 89/686/EEC (until 21 April 2018) and the European Regulation 2016/425/EU (from 21 April 2018). Gloves/sleeves which are accompanied with the pictogram which designates contact with foodstuffs, are also in conformity with the European Regulations 1935/2004 and 2023/2006 as well as with all applicable National Regulations for Food-contact materials. Please ensure the gloves/sleeves are used only for the designated purposes, as explained above.

Explanation of symbols & pictograms:

ABCDEP EN 388: 2016	Protection from mechanical risks A: Abrasion resistance (performance levels 0 to 4) B: Blade cut resistance (performance levels 0 to 5) C: Tear resistance (performance levels 0 to 4) D: Puncture resistance (performance levels 0 to 4) E: TDM ISO EN 13997 cut resistance (performance levels A to F) P: Impact Protection (optional) = gloves providing impact protection in the knuckle area of the glove (does not apply to the finger area which cannot be tested). If no P is claimed, no impact protection applies.		If the levels under the EN 388 pictogram are marked with a prefix EU or BR or PRC ; this refers to the levels obtained respectively by the European Notified Body according EN 388:2016, by the Brazilian Certification Institute according EN 388:2003 or by the People Republic of China Certification Institute according GB 24541. **Warning**: the performance levels claimed for the gloves are based on tests performed on the palm area of the gloves. For gloves with two or more layers, these overall performance levels may not necessarily reflect the performance of the glove's outermost layer.
ABCDEF EN 407: 2004	Protection against heat A: Flammability (levels 0 to 4) B: Contact heat (levels 0 to 4) C: Convective heat (levels 0 to 4) D: Radiant heat (levels 0 to 4) E: Small splashes of molten metal (levels 0 to 4) F: Large quantities of molten metal (levels 0 to 4)	ABC EN 511: 2006 — Protection from cold A: Convective cold (levels 0 to 4) B: Contact cold (levels 0 to 4) C: Water penetration (0 or 1) – Warning: for gloves that are claimed with level 0, it must be noted that these may lose their cold insulative properties when wet.	EN 16350:2014 — Gloves/sleeves meeting the requirement (vertical resistance < 10^8 ohm); for use in areas where flammable or explosive areas exist.
CE XXXX	Product is compliant and certified to the requirements of the European Regulations on Personal Protective Equipment. XXXX refers to the identification number of the Notified Body that is in charge of the category III conformity assessment.	EN 420:2003 + A1:2009	Please read the Instructions for Use, prior to using the gloves/sleeves, or contact Ansell for more information.
(food symbol)	Suitable for contact with foodstuffs.	EAC TP TC 019/2011	Product is compliant and certified to the requirements of the Russian Custom Regulation TP TC 019/2011.
KCs	Product is compliant and certified to the requirements of the Korean Occupational Health & Safety Act legislation for PPE.	CA XX.XXX	Certificate of Approval, as certified to the requirements of the Brazilian Regulation (whereas xx.xxxx refers to the certificate number).
ANSI ABR	Abrasion resistance grading (levels 0 to 6) according to the American National Standard Institute 105-2016.	ANSI CUT	Cut resistance grading (levels A1 to A9) according to the American National Standard Institute 105-2016.

EU-Type examination certificate (Module B) and Supervised product checks (Module C2) by Centexbel Belgium (I.D. 0493), Technologiepark 7, B-9052 Zwijnaarde. For more detailed information on the product's performance, please consult Ansell.
To obtain the EU-Conformity Declaration, please use the link as shown hereunder: www.ansell.com/regulatory

B. Precautions for use

1. Never use the gloves/sleeves with chemicals.
2. Before usage, inspect the gloves/sleeves for any defects or imperfections. Avoid wearing gloves/sleeves which are dirty on the inside - they may irritate the skin, causing dermatitis or worse.
3. Gloves/sleeves should not come in contact with a naked flame.
4. Contaminated gloves/sleeves should be cleaned or washed or wiped dry before removal.
5. Gloves/sleeves which have a tear level of 1 or above (as per EN 388) should not be used for protection against serrated blades or when there is a risk of entanglement with moving machine parts.
6. Not all gloves/sleeves that are suitable for contact with foodstuffs may be used against all foodstuffs. Some gloves/sleeves may show excessive migration towards certain types of foodstuffs. To know which restrictions apply and for which specific foodstuffs the gloves/sleeves can be used, please obtain advice from Ansell or consult the Ansell Food Conformity declaration.
7. If gloves/sleeves are marked, the printed surfaces shall not come in contact with food.
8. If gloves/sleeves are being used in explosive environments, please ensure they meet the EN 16350 requirements. Persons wearing these gloves should be properly earthed, e.g. by wearing adequate footwear & clothing.
   Warning: the gloves/sleeves shall not be unpacked, opened, adjusted or removed whilst in flammable or explosive atmospheres. The electrostatic properties of the gloves/sleeves might be adversely affected by ageing, wear, contamination and damage and might not be sufficient for oxygen enriched flammable atmospheres where additional assessments are necessary.

C. Ingredients / Hazardous ingredients

Some gloves/sleeves might contain ingredients which are known to be a possible cause of allergies in sensitised persons, who may develop irritant and/or allergic contact reactions. If allergic reactions should occur, obtain medical advice immediately.
For more information, please contact Ansell.

D. Care instructions

Storage: Keep away from direct sunlight; store in a cool dry place and keep in the original packaging. Keep away from ozone sources. If gloves/sleeves are properly stored, as indicated above, they won't lose their performances and won't change the glove characteristics significantly. If gloves/sleeves could be affected by ageing or storage, the expiry date is mentioned on the packaging materials.
Cleaning: Gloves/sleeves that can be laundered will carry care pictograms, which will be depicted on the specific information on or inside each packaging enclosure. For these gloves/sleeves, the performance of the unused glove/sleeve will not be reduced after 1 laundering cycle. It is the customer or launderer who is responsible for the performance of the gloves/sleeves after laundering when the gloves/sleeves have already been used. Ansell cannot be held liable for this.

E. Disposal

Used gloves/sleeves may be contaminated with infectious or other hazardous materials.
Dispose of according to Local Authority Regulations. Landfill or incinerate under controlled conditions.

Ansell

INSTRUCCIONES DE USO — ES
GUANTES Y MANGUITOS ANSELL PARA USO GENERAL VERSIÓN GP CAT III MÓDULO C2

Ansell

ISTRUZIONI PER L'USO — IT
GUANTI E MANICOTTI ANSELL PER USO GENERALE GP VERSIONE MODULO C2 CAT III

Ansell

GEBRUIKSAANWIJZING — NL
ANSELL-HANDSCHOENEN & -ARMBESCHERMERS VOOR ALGEMEEN GEBRUIK GP CAT III MODULE C2 VERSIE

Ansell

BRUGSANVISNING — DA
ANSELL HANDSKER OG ÆRMER TIL ALMEN BRUG GP KAT. III MODUL C2-VERSION

Ansell

BRUKSANVISNING — NO
ANSELL HANSKER OG ARMBESKYTTERE GENERELLE FORMÅL GP CAT III (MODUL C2) VERSJON

Ansell

إرشادات الاستخدام — AR
قفازات وأكمام ANSELL للأغراض العامة إصدار GP الفئة 3 الوحدة C2

Ansell

使用説明書 — JP
アンセル汎用手袋&スリーブ GP CAT IIIモジュールC2バージョン

Ansell

MODE D'EMPLOI — FR
GANTS ET MANCHETTES ANSELL À USAGE GÉNÉRAL VERSION GP CAT. III (MODULE C2)

Ansell

GEBRAUCHSANLEITUNG — DE
MEHRZWECKHANDSCHUHE UND ARMSCHÜTZER VON ANSELL GP KAT. III MODUL C2-VERSION

Ansell

INSTRUÇÕES DE UTILIZAÇÃO — PT
ANSELL – LUVAS E MANGAS PARA FINS GERAIS VERSÃO GP – CAT. III (MÓDULO C2)

Ansell

ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ — EL
ΓΑΝΤΙΑ ΚΑΙ ΠΕΡΙΧΕΙΡΙΔΕΣ ANSELL ΓΕΝΙΚΗΣ ΧΡΗΣΗΣ ΕΚΔΟΣΗ GP ΚΑΤΗΓΟΡΙΑΣ III ΕΝΟΤΗΤΑ Γ2

Ansell

KÄYTTÖOHJEET — FI
ANSELLIN YLEISKÄYTTÖÖN TARKOITETUT KÄSINEET JA KÄSIVARSISUOJUKSET GP KAT. III MODUULI C2 -VERSIO

Ansell

BRUKSANVISNING — SV
ANSELLS HANDSKAR OCH ARMSKYDD FÖR ALLMÄNNA ÄNDAMÅL GP-VERSION KAT. III MODUL C2

Ansell

ИНСТРУКЦИЯ ПО ПРИМЕНЕНИЮ — RU
УНИВЕРСАЛЬНЫЕ ПЕРЧАТКИ И НАРУКАВНИКИ КОМПАНИИ ANSELL ВЕРСИЯ GP, КАТЕГОРИЯ III, МОДУЛЬ C2

Ansell

PETUNJUK PENGGUNAAN — ID
SARUNG TANGAN & SARUNG LENGAN SERBAGUNA ANSELL VERSI GP CAT III MODUL C2

Ansell

810mm

220mm

NÁVOD NA POUŽITÍ — CS
VÍCEÚČELOVÉ RUKAVICE A NÁVLEKY NA PAŽE ANSELL VERZE GP KAT. III MODUL C2

Ansell

HASZNÁLATI ÚTMUTATÓ — HU
ANSELL ÁLTALÁNOS CÉLÚ KESZTYŰK ÉS KARVÉDŐK GP III. KAT. C2 MODUL VERZIÓ

Ansell

LIETOŠANAS INSTRUKCIJA — LV
ANSELL PLAŠA PIELIETOJUMA CIMDI UN PIEDURKNES GP KAT. III MODUĻA C2 VARIANTS

Ansell

INSTRUKCJE UŻYTKOWANIA — PL
RĘKAWICE I RĘKAWY ANSELL DO ZASTOSOWAŃ OGÓLNYCH WERSJA GP KAT. III MODUŁ C2

Ansell

ИНСТРУКЦИИ ЗА УПОТРЕБА — BG
УНИВЕРСАЛНИ РЪКАВИЦИ И РЪКАВЕЛИ ANSELL ВЕРСИЯ GP CAT III МОДУЛ C2

Ansell

NAVODILA ZA UPORABO — SL
ROKAVICE IN ROKAVI ANSELL ZA SPLOŠNO UPORABO GP, RAZLIČICA III. KATEGORIJE, MODUL C2

Ansell

사용 설명서 — KO
ANSELL 일반용 장갑 및 슬리브 GP CAT III MODULE C2 버전

Ansell

คำแนะนำในการใช้งาน — TH
ถุงมือและปลอกสวมแขนอเนกประสงค์จาก ANSELL เวอร์ชัน GP ประเภท III โมดูล C2

Ansell

KASUTUSJUHISED — ET
ANSELL KINDAD JA VARRUKAD ÜLDISEKS OTSTARBEKS GP KAT III MOODUL C2 VERSIOON

Ansell

NAUDOJIMO INSTRUKCIJOS — LT
„ANSELL" BENDROS PASKIRTIES PIRŠTINĖS IR RANKOVĖS GP III KAT. MODULIO C2 VERSIJA

Ansell

STRUZZJONIJIET GĦALL-UŻU — MT
INGWANTI U SLEEVES ANSELL GĦAL SKOPIJIET ĠENERALI VERŻJONI GP KATEGORIJA III MODULU C2

Ansell

INSTRUCŢIUNI DE UTILIZARE — RO
MĂNUŞI ŞI MÂNECI ANSELL DE UZ GENERAL VERSIUNEA GP CAT III MODULUL C2

Ansell

NÁVOD NA POUŽÍVANIE — SK
RUKAVICE A RUKÁVY ANSELL NA VŠEOBECNÉ ÚČELY VERZIA GP KAT. III MODUL C2

Ansell

KULLANIM TALİMATLARI — TR
ANSELL GENEL AMAÇLI ELDİVEN VE KOLLUKLAR GP CAT III MODÜL C2 SÜRÜMÜ

Ansell

ARAHAN UNTUK PENGGUNAAN — MS
SARUNG TANGAN & LENGAN PENGGUNAAN AM ANSELL VERSI GP KATEGORI III MODUL C2

Ansell

使用说明 — ZH
安思尔通用手套和袖套 GP III类模块C2版本

Ansell

Base_IFU_90x220_GP_CATIII_C2.indd 28-36 22/06/2017 15:51

810mm

EU DECLARATION OF CONFORMITY

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

HyFlex® 70-215

Products manufactured as of: [03/01/2019]

PPE to be used against category III risks

EN 388

144XB

EN 407

X1XXXX

is in conformity with the provisions of Regulation (EU) 2016/425 and with the European harmonized standards EN 388:2016, EN 407:2004, EN 420:2003 + A1:2009 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2019/0006, issued by the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

Guido Van Duren
Director - Regulatory affairs
Ansell

Place: Brussels
Date: 03/01/2019

EU DECLARATION OF CONFORMITY

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

Neptune Kevlar Midiumweight 70-215

Products manufactured till: [02/01/2019]

PPE to be used against category III risks

EN 388	EN 407
144X	X1XXXX

is in conformity with the provisions of Regulation (EU) 2016/425 and with the European harmonized standards EN 388:2003, EN 407:2004, EN 420:2003 + A1:2009 and is identical to the PPE which is subject to the EC Type examination; under certificate number 03206107 issued by the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

Guido Van Duren
Director - Regulatory affairs
Ansell

Place: Brussels
Date: 14/03/2006