

Precedentemente noto come: Black Heavyweight G17K

Guanto protettivo industriale

- Elevata resistenza alle sostanze chimiche a base d'acqua.
- Buona resistenza all'abrasione.
- Resistente e flessibile, adatto per molte applicazioni industriali.
- Floccatura di cotone 100%.



Industrie

- Chimica
- Industria metallurgica
- Macchinari e attrezzature
- Assistenza e riparazione auto

Applicazioni

- Carico e scarico di attrezzature di processo
- Carico di materiale grezzo
- Trasferimento di sostanze liquide e solide fra recipienti, cisterne e attrezzature di processo
- Montaggio e smontaggio attrezzature
- Supporto e manutenzione della linea di produzione

Precedentemente noto come: Black Heavyweight G17K

Caratteristiche chiave

- Elevata resistenza alle sostanze chimiche a base d'acqua.
- Buona resistenza all'abrasione.
- Resistente e flessibile, adatto per molte applicazioni industriali.
- Floccatura di cotone 100%.

Acceleranti chimici di vulcanizzazione

- Proteine della gomma naturale
- Parabeni
- Dibutilditiocarbammato di zinco
- Dietilditiocarbammato di zinco
- Zinco-2-mercaptobenzotiazolo

Solo un numero estremamente ridotto di utilizzatori potrebbe essere sensibile a questo(i) ingrediente(i) e, di conseguenza, sviluppare irritazioni e/o reazioni allergiche da contatto.

Standard riguardanti le prestazioni



Specifiche

MARCHIO MODELLO	DESCRIZIONE	TAGLIA	LUNGH EZZA	COL ORE	CONFEZIONAMENTO
AlphaTec® 87-118	Floccatura di cotone, Lattice di gomma naturale,	6.5, 7.5, 8.5, 9.5, 10.5	320 / 12.6	Nero	<ul style="list-style-type: none">• 1 pair per inner bag, 12 inner bags per master bag, 12 master bags per carton (FOR EMEA / APAC)• 12 pairs per bag, 12 bags per carton (FOR NA/LAC)

Europa, Medio Oriente ed Africa

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
+1 800 800 0444
F: +1 800 800 0445

America Latina & Caraibi

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306.
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada Inc.
105, rue Lauder
Cowansville (Québec)
J2K 2K8, Canada
T: 1 800 363-8340
F: 1 888 267-3551

Ansell, ® e ™ sono marchi commerciali di proprietà di Ansell Limited o di una delle società affiliate. Brevettati negli USA e in attesa di brevetti USA e non USA: www.ansell.com/patentmarking © 2021 Ansell Limited. Tutti i diritti riservati.

Né il presente documento, né eventuali altre dichiarazioni formulate da o per conto di Ansell devono essere interpretati come garanzia di commerciabilità o idoneità per un determinato utilizzo dei prodotti Ansell. Ansell non assume alcuna responsabilità riguardo a idoneità o adeguatezza nella scelta dei guanti per un uso specifico da parte dell'utente finale.

Previously known as: Black Heavyweight G17K

Thick natural rubber latex gloves, offering heavy-duty protection and chemical resistance

- **Optimized protection:** Composed of 0.8mm/31 mil-thick natural rubber latex, AlphaTec® 87-118 industrial gloves ensure high levels of durability and abrasion resistance, as well as heightened water-based chemical resistance
- **Added convenience:** These protective gloves also feature a beaded cuff, which facilitates donning and doffing, while preventing droplets travelling beyond the glove's surface, for greater wrist protection
- **Strengthened grip:** Designed with a diamond grip pattern, these chemical-resistant gloves also offer wearers secure grip, for more confident handling
- **Enhanced comfort:** Composed of flexible natural latex rubber, these AlphaTec® gloves also boast 100% cotton flock lining, which absorbs some sweat and minimizes discomfort
- **Assured quality:** In addition, they boast an AQL of 0.65

Industries

- Chemical
- Metal fabrication
- Machinery and Equipment
- Automotive Aftermarket

Applications

- Loading and unloading of process equipment
- Loading raw material
- Transferring liquids and solids between vessels and tanks and process equipment
- Assembly and disassembly of equipment
- Production line support & maintenance



Previously known as: Black Heavyweight G17K

Key Features

- **0.8mm/31 mil natural rubber latex:** Chemical and abrasion resistance
- **Beaded cuff:** Easy donning and doffing, and limited liquid roll-off
- **Diamond grip pattern:** Heightened grip performance

Vulcanization Chemical Accelerators

- Natural rubber proteins
- Parabens
- Zinc Dibutyldithiocarbamate
- Zinc Diethyldithiocarbamate
- Zinc 2-mercaptobenzothiazole

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

Performance Standards



Specifications

BRAND STYLE	DESCRIPTION	SIZE	LENGTH	COLOR	PACKAGE
AlphaTec® 87-118	Cotton Flocking, Natural Latex Rubber,	6.5, 7.5, 8.5, 9.5, 10.5	320 / 12.6	Black	<ul style="list-style-type: none"> • 1 pair per inner bag, 12 inner bags per master bag, 12 master bags per carton (FOR EMEA / APAC) • 12 pairs per bag, 12 bags per carton (FOR NA/LAC)

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada Inc.
105, rue Lauder
Cowansville (Québec)
J2K 2K8, Canada
T: 1 800 363-8340
F: 1 888 267-3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2021 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.